


## TYPE 6

Installation, Operation & Maintenance Instructions



See the seal layout and the Type-6 bulletin for critical dimensional and tolerance data before starting assembly.

The seal working height will be established by properly locating the seal head on the shaft, unless the seal is equipped with an optional retaining collar

If you are using an installation tool **DO NOT** have the tool contact the sealing face.

## **Installation Instructions**

- 1. Ensure that the sealing faces are clean. Use of lint-free gloves are recommended for handling the seal.
- 2. Inspect the pump housing and shaft for any sharp edges or tool marks. These must be removed to prevent damaging the seal. A lead in chamfer of 0.040 x 20° is recommended to help start the seal.
- Inspect the seal head for any defects, ensure that the sealing face is free of any marks..
- 4. Lightly lubricate the shaft where the seal head must pass over during installation with a suitable rubber lubricant. We recommend using P-80 as the rubber lubricant.
- 5. Lubricate the drive ring of the seal head and using the installation tool (optional), install the seal head to the proper location on the shaft. The drive ring will adhere to the shaft almost immediately. Attempting to move the seal head after it is set in position may cause damage and possible leakage.
- 6. Inspect the mating ring bore for any sharp edges or tool marks. These must be removed to prevent damage to the mating ring assembly. A lead in chamfer of 0.040 x 20° in the bore is recommended to help start the mating ring assembly.

- 7. Inspect the mating ring assembly for any defects.
- 8. Apply a light coating of a suitable lubricant to the rubber cup and bore prior to installing the mating ring assembly. We recommend using P-80 as the rubber lubricant.
- **9.** Press the mating ring into the bore evenly, keeping the seal face clean.
- 10. Complete the pump assembly.

Installation, Operation & Maintenance Instructions



North America Europe Latin America Middle East & Africa **Asia Pacific** United States of America United Kingdom Brazil United Arab Emirates Singapore Tel: 55-11-3371-2500 Fax: 55-11-3371-2599 Tel: 1-847-967-2400 Tel: 44-1753-224000 Tel: 971-481-27800 Tel: 65-6518-1800 Fax: 1-847-967-3915 Fax: 44-1753-224224 Fax: 971-488-62830 Fax: 65-6518-1803

If the products featured will be used in a potentially dangerous and/or hazardous process, your John Crane representative should be consulted prior to their selection and use. In the interest of continuous development, John Crane Companies reserve the right to alter designs and specifications without prior notice. It is dangerous to smoke while handling products made from PTFE. Old and new PTFE products must not be incinerated. ISO 9001 and ISO14001 Certified, details available on request.

